

## Focus on Mild Hyperbaric Oxygen Chamber


## **MADE FOR HEALTH**



OEM - ODM - Customization - One Stop Solution

Design - Manufacture - Training - Service

Hangzhou, China



ORIGINAL MANUFACTURER

**1** Hyperbaric Oxygen Therapy (HBOT)

You defnitely need more oxygen in your life

102 How does HBOT work?

Hard hyperbaric chamber or soft hyperbaric chamber?

Mild Hyperbaric Oxygen Chamber

16 Why choose us?

## **Hyperbaric Oxygen Therapy (HBOT)**

Hyperbaric Oxygen Therapy (HBOT) is a versatile and powerful complementary treatment used for multiple medical indications, including for sports recovery or wellness purposes – anti-aging, beauty, brain performance.



#### Oxygen

Oxygen is one of the most important elements required to sustain life, it plays a central role in the normal functioning of the immune system, it is essential for energy production in most cells.



#### **Pressure**

It has been demonstrated that HBOTstimulates oxygen concentration levels in theblood when the body absorbs more oxygen pervolume of compressed air.



#### **Energy**

Our body contains a system of 75 trillion ofcells which provide the energy required forbrain and organs to function. Each cell needs two things to produce energy: nutrients and oxygen.



#### **Oxygenation**

The increased oxygenation of blood vesselsallows for systematic health benefits, such ascell growth and regeneration, detoxification, immune support, new capillary growth, and improved neurological functioning amongmany others.

## You defnitely need more oxygen in your life

During Hyperbaric Oxygen Therapy (HBOT) we breathe oxygen under higher than normal atmospheric pressures inside the soft-side hyperbaric chamber.

Increasing the atmospheric pressure while breathing in enriched oxygen atmosphere creates an environment where oxygen is dissolved more efficiently into the surrounding liquids, blood plasma and cerebrospinal fluids.


#### **How does HBOT work?**

A mild hyperbaric environment will allow the necessary amounts of oxygen to penetrate fully into the body's tissues and work their magic without the risk of oxidative damage.

We build inflatable low-pressure hyperbaric chambers that harness a safe and very effective way to distribute oxygen in greater concentration (24% to 28%) in all your cells and liquids in the body.

Mild Hyperbaric Oxygen Therapy sessions take place in the sealed environment of the inflatable chamber with pressure rising up to 1.5 ATA, a safe benchmark to allow the plasma to absorb the oxygen in a healthy amount.

#### Oxygen under pressure



#### **Oxygen saturation**

Oxygen is carried around the body by red blood cells that flow in blood vessels, either bound to hemoglobin or dissolved in blood plasma. Pressures of 1.3 ATA, up to 1.5 ATA inside the hyperbaric chamber can stimulate the

growth of new blood vessels to increase blood flow to areas of poor circulation. Oxygenated plasma is circulated to reach all injured tissues such as bruised muscles, sprained tendons, surgical wounds, strokes, areas of injury aggravated by damaged circulation. The oxygen in the plasma will dissolve further into the damaged area than the

oxygen attached to the red blood cell in the normal oxygen delivery system. Red blood cells become oxygen saturated and the oxygen is distributed into all body fluids like the blood plasma, cerebrospinal fluid, the lymph, all the organs, including the brain.

# Hard hyperbaric chamber or soft hyperbaric chamber?

Hyperbaric Oxygen Therapy can be separated into two categories – high pressure and low pressure. High-pressure HBOT, or hospital-grade HBOT is carried above 2 ATA. Low pressure or mild HBOT refers to pressures below 2 ATA. The higher pressures in hospital-grade HBOT are very useful in the treatment of acute illnesses, yet the lower pressures are safer, generally without major side-effects, better for chronic illnesses, and can be used in home settings. HBOT sessions are recommended depending on your particular needs, according to a prescribed medical protocol number of sessions.

#### Medical hard-shell hyperbaric chamber

Pressure higher than 2.0 ATA

The pressure inside the hard chamber can reach 3.0 ATA or higher. Medical-grade hyperbaric oxygen chambers are pressurized with 100% pure oxygen. You need to be prescribed by a doctor to undergo medical Hyperbaric Oxygen Therapy sessions inside a hard chamber within a hospital or clinical setting.

#### Soft-side hyperbaric chamber

Pressures between 1.2 ATA and 1.5 ATA

Mild hyperbaric oxygen therapy is a treatment administered in a soft hyperbaric chamber, an inflatable portable hyperbaric chamber, which can be used in a home setting. Oxyspaces mild hyperbaric chambers (mHBOT) are inflated to reach operating pressure using ambient air. The user inhales oxygen-enriched air at pressures between 1.2 and 1.4 ATA (slightly higher than sea level pressure).

Mild hyperbaric chambers are safe and efficient for home use. Oxyspaces portable hyperbaric chambers are recommended for mild hyperbaric

oxygen therapy at home and do not require specialized assistance like medical-grade HBOT. You can use the Oxyspaces soft chamber to reach health and body performance objectives if you're a home user.

Oxyspaces chambers are portable, compact in size, and easy to operate. Just breathe in and let the oxygen do the work.

## What is mHBOT (mild hyperbaric oxygen therapy) recommended for?

Mild HBOT Hyperbaric Oxygen Therapy is one of the safest and effective therapeutic procedures available today.

#### **Hyperbaric Oxygen Therapy for sports recovery**

Training, competition, and recovery go hand in hand. Integrate hyperbaric oxygen therapy into your sports recovery program to power up the immune system, oxygenate muscles, and accelerate the healing process for sports injuries.





#### **Hyperbaric Oxygen Therapy for Wellness**

The long-term benefits of mHBOT (Mild Hyperbaric Oxygen Therapy) for your health are complex and systemic. Oxygen is the primary fuel that sustains our body. mHBOT (Mild Hyperbaric Therapy) sessions supply the body with the essential oxygen levels, which leads to better physical health, fitness, and well-being, also mental clarity.





#### **Hyperbaric Oxygen Therapy for beauty & anti-aging**

Oxygen is known to be a systemic component in skin rejuvenation. When we deliver oxygen under pressure during HBOT – Hyperbaric Oxygen Therapy, the supplemented oxygen levels improve blood flow, boost cell metabolism, facilitate collagen production, contribute to microscopic blood vessel growth, reduce oxidative stress, and on the surface level, increase skin elasticity.





Breathing oxygen inside the portable hyperbaric chamber is a natural and non-invasive procedure with efficient healing and regenerative action. The increased pressure inside the hyperbaric chamber facilitates the absorption of oxygen in larger quantities in the blood plasma. When high concentrations of oxygen are transported and become available to all

necessary cells and tissues, the body's natural healing mechanism is stimulated. Complementary to most skincare procedures and formulations, the action of HBOT is to heal from within. This natural approach to skincare is trusted by health professionals for the numerous benefits Hyperbaric Oxygen Therapy has proved it can deliver on a holistic level.

Respectable skincare clinics and hyperbaric spas centres integrate hyperbaric oxygen therapy into their programs to rejuvenate skin, increase skin elasticity, repair aging skin texture, reduce scar formation, reduce the appearance of fine lines and wrinkles, improve skin complexion. Hyperbaric Therapy for anti-aging has become a common protocol in the wellness world.

#### **Brain care**

Hyperbaric Oxygen Therapy for brain care

**HBOT** is documented to:

Increase oxygen saturation to the brain

Reduce cerebral edema and neuroinflammation

Grow new blood vessels (Angiogenesis)

Increase stem cell production (of brain cells)

Repair gray matter (which contains nerve cell bodies)

Repair white matter (which are the filaments that connect cell bodies and carry messages between nerve cells)

Reach all oxygen-deficient areas of the brain to reactivate neurons Stimulate the immune system





### Why more and more people use mild hyperbaric oxygen chamber?

More and more people realize that Hyperbaric Oxygen Therapy is benefit for their health especially after the COVID-19 pandemic. And Mild Hyperbaric Oxygen Therapy (mHBOT) technology is a safe way to improve

the quality of life. That's why people choose to use mild hyperbaric oxygen chamber at home. And health is the most worthwhile investment in the world.

## **SPACE CAPSULE**



- Patent-protected product;
- ROHS-certified materials;
- High-efficiency oil-free compressor;
- Advanced molecular sieve oxygen generator;
- Triple-pressure protection system;
- Continuous airflow circulation ensures fresh chamber air throughout the therapy;
- Barrier-free entry for small elevators and doors;
- Lightweight chamber design;
- Installation completed in 1 hour;
- Easy to move, can be relocated at any time if placementarea is unsatisfactory;
- 270-degree transparent window, wide field of view, effectively alleviates claustrophobia;
- Ergonomic seating, comfortable for extended sitting;
- Custom music system for immersive surround sound;
- Food-grade negative ion fragrance with delicate misting;
- Water cooled air conditioning system;

| Space Capsule Specification         |   |                             |   |
|-------------------------------------|---|-----------------------------|---|
| Item                                | Description   | Item                        | Description   |
| Size                                | 180×60×126cm  | Mode of Breath oxygen       | Mask  |
| Floor Space<br>Weight               | <4m² <200 kg  | Internal Air<br>Replacement | Continuously  |
| Material                            | Polyester Fabric coated TPU   | Seat                        | Adjustable back sofa  |
| Air booster&<br>Oxygen concentrator | 2 in 1 machine, Air flow :130L/min;<br>Oxygen flow: 10L; Oxygen Concentration≥90% | Lighting                    | Eye-protecting LED light source, can be remote controlled<br>brightness and color temperature can be adjusted |
| AC                                  | Water cooled Air Conditioner  | Time of single<br>therapy   | 60-90 Minutes   |
| Sound insulation                    | Good privacy effect   | Music system                | Surround sound music  |
| Fragrance System                    | Edible natural plant fragrance  | Operation study             | Operation training is required<br>before use for keeping Safety   |
| Humidification system               | Negative oxygen anion ionization  | Safety warnings             | Fire and sharp objects<br>are prohibited  |
| Operation Inside                    | Operation panel   | Maintenance                 | Refer to the user manual  |
| Pressure Range                      | 1.1ATA-1.3ATA   | Time of<br>warranty         | 2 years or 2000 hours   |
| Pressure<br>Regulation              | Manual mechanical regulating valve  | Lifetime                    | 5 years or 5000 hours   |
| Pressurize<br>Medium                | Air   | Standard                    | QB/T8049-2024   |
| Chamber<br>Support                  | Inside metal frame  | Contraindication            | Refer to the user manual  |
| Usage Type                          | Sitting   | Installation conditions     | When installed on the upper floor,<br>an elevator is required   |
| Operator                            | Need one operator help to open and close the chamber                              | Usage area<br>requirements  | Well-ventilated   |

## MILD HYPERBARIC CHAMBER D-240C



- ROHS-certified materials;
- High-efficiency oil-free compressor;
- Advanced molecular sieve oxygen generator;
- Triple-pressure protection system;
- Continuous airflow circulation ensures fresh chamber air throughout the therapy;
- Barrier-free entry for small elevators and doors;
- Lightweight chamber design;
- Installation completed in 1 hour;
- Easy to move, can be relocated at any time if placementarea is unsatisfactory;
- Custom music system for immersive surround sound;
- 2 persons sitting face to face, enjoy together;
- 1 person sitting or lying, enjoy huge space freely;
- Food-grade negative ion fragrance with delicate misting;
- Water cooled air conditioning system;
- Patent-protected product;

| Mild Hyperbaric Chamber D-240C Specification |   |                             |   |
|--|---|-----------------------------|---|
| Item   | Description   | Item                        | Description   |
| Size   | L240×W60×H115cm   | Mode of Breath oxygen       | Mask  |
| Floor Space<br>Weight                        | <5m <sup>2</sup> <300 kg  | Internal Air<br>Replacement | Continuously  |
| Material                                     | Polyester Fabric coated TPU   | Seat/Mat                    | Adjustable back sofa/mat  |
| Air booster&<br>Oxygen concentrator          | 2 in 1 machine, Air flow :130L/min;<br>Oxygen flow: 10L; Oxygen Concentration≥90% | Lighting                    | Eye-protecting LED light source, can be remote controlled<br>brightness and color temperature can be adjusted |
| AC   | Water cooled Air Conditioner  | Time of single<br>therapy   | 60-90 Minutes   |
| Sound insulation                             | Good privacy effect   | Music system                | Surround sound music  |
| Fragrance System                             | Edible natural plant fragrance  | Operation study             | Operation training is required<br>before use for keeping Safety   |
| Humidification system                        | Negative oxygen anion ionization  | Safety warnings             | Fire and sharp objects<br>are prohibited  |
| Operation Inside                             | Operation panel   | Maintenance                 | Refer to the user manual  |
| Pressure Range                               | 1.1ATA-1.4ATA   | Time of<br>warranty         | 2 years or 2000 hours   |
| Pressure<br>Regulation                       | Manual mechanical regulating valve  | Lifetime                    | 5 years or 5000 hours   |
| Pressurize<br>Medium                         | Air   | Standard                    | QB/T8049-2024   |
| Chamber<br>Support                           | Inflatable Frame  | Contraindication            | Refer to the user manual  |
| Usage Type                                   | Sitting/Lying   | Installation conditions     | When installed on the upper floor,<br>an elevator is required   |
| Operator                                     | Need one operator help to open<br>and close the chamber                           | Usage area<br>requirements  | Well-ventilated   |

## MILD HYPERBARIC CHAMBER LS-220C



- ROHS-certified materials;
- High-efficiency oil-free compressor;
- Advanced molecular sieve oxygen generator;
- Triple-pressure protection system;
- Continuous airflow circulation ensures fresh chamber air throughout the therapy;
- Barrier-free entry for small elevators and doors;
- Lightweight chamber design;
- Installation completed in 1 hour;
- Easy to move, can be relocated at any time if placementarea is unsatisfactory;
- Custom music system for immersive surround sound;
- Food-grade negative ion fragrance with delicate misting;
- Water cooled air conditioning system;
- Patent-protected product;

| Mild Hyperbaric Chamber LS-220C Specification |   |                             |   |
|---|---|-----------------------------|---|
| Item  | Description   | Item                        | Description   |
| Size  | L220×W70×H110cm   | Mode of Breath oxygen       | Mask  |
| Floor Space<br>Weight                         | <5m² <300 kg  | Internal Air<br>Replacement | Continuously  |
| Material                                      | Polyester Fabric coated TPU   | Seat                        | Adjustable back sofa  |
| Air booster&<br>Oxygen concentrator           | 2 in 1 machine, Air flow :130L/min;<br>Oxygen flow: 10L; Oxygen Concentration≥90% | Lighting                    | Eye-protecting LED light source, can be remote controlled<br>brightness and color temperature can be adjusted |
| AC  | Water cooled Air Conditioner  | Time of single<br>therapy   | 60-90 Minutes   |
| Sound insulation                              | Good privacy effect   | Music system                | Surround sound music  |
| Fragrance System                              | Edible natural plant fragrance  | Operation study             | Operation training is required<br>before use for keeping Safety   |
| Humidification system                         | Negative oxygen anion<br>ionization   | Safety warnings             | Fire and sharp objects<br>are prohibited  |
| Operation Inside                              | Operation panel   | Maintenance                 | Refer to the user manual  |
| Pressure Range                                | 1.2ATA-1.5ATA   | Time of<br>warranty         | 2 years or 2000 hours   |
| Pressure<br>Regulation                        | Manual mechanical regulating valve  | Lifetime                    | 5 years or 5000 hours   |
| Pressurize<br>Medium                          | Air   | Standard                    | QB/T8049-2024   |
| Chamber<br>Support                            | Inflatable Frame  | Contraindication            | Refer to the user manual  |
| Usage Type                                    | Sitting/Lying   | Installation conditions     | When installed on the upper floor<br>an elevator is required  |
| Operator                                      | Need one operator help to open and close the chamber                              | Usage area<br>requirements  | Well-ventilated   |

## **HYPERBARIC CHAMBER P-210**



- EU ROHS-certified materials;
- High-efficiency oil-free compressor;
- Advanced molecular sieve oxygen generator;
- Triple-pressure protection system;
- Pressure regulation (1.3/1.5/1.7/1.9ATA);
- Continuous airflow circulation ensures fresh chamber air throughout the therapy;
- Lightweight, easy to install;
- Laboratory-grade water cooled air conditioning system;

| Нуј                                 | Hyperbaric chamber P-210 Specification  |                             |   |  |
|-------------------------------------|---|-----------------------------|---|--|
| Item                                | Description   | ltem                        | Description   |  |
| Size                                | D85×L210cm  | Mode of Breath oxygen       | Mask  |  |
| Floor Space<br>Weight               | <4m² <200 kg  | Internal Air<br>Replacement | Continuously  |  |
| Material                            | Polyester Fabric coated TPU   | Time of single<br>therapy   | 60-90 Minutes   |  |
| Air booster&<br>Oxygen concentrator | 2 in 1 machine, Air flow :130L/min;<br>Oxygen flow: 10L; Oxygen Concentration≥90% | Operation study             | Operation training is required<br>before use for keeping Safety |  |
| AC                                  | Water cooled Air Conditioner  | Safety warnings             | Fire and sharp objects<br>are prohibited                        |  |
| Pressure Range                      | 1.3ATA-1.9ATA   | Installation conditions     | When installed on the upper floor,<br>an elevator is required   |  |
| Pressure<br>Regulation              | Manual mechanical regulating valve  | Usage area<br>requirements  | Well-ventilated   |  |
| Pressurize<br>Medium                | Air   | Maintenance                 | Refer to the user manual  |  |
| Chamber<br>Support                  | Metal Frame   | Time of<br>warranty         | 2 years or 2000 hours   |  |
| Usage Type                          | Lying   | Lifetime                    | 5 years or 5000 hours   |  |
| Operator                            | Need one operator help to open and close the chamber                              | Contraindication            | Refer to the user manual  |  |

## HYPERBARIC CHAMBER S-190C



- EU ROHS-certified materials;
- High-efficiency oil-free compressor;
- Advanced molecular sieve oxygen generator;
- Triple-pressure protection system;
- Continuous airflow circulation ensures fresh chamber air throughout the therapy;
- Barrier-free entry for small elevators and doors;
- Lightweight chamber design;
- Custom music system for immersive surround sound;
- Food-grade negative ion fragrance with delicate misting;
- Water cooled air conditioning system;
- Patent-protected product;

| Hyperbaric chamber S-190C Specification |   |                             |   |
|---|---|-----------------------------|---|
| Item                                    | Description   | Item                        | Description   |
| Size                                    | L190×W70×H110cm   | Mode of Breath oxygen       | Mask or Free  |
| Floor Space<br>Weight                   | <4m² <200 kg  | Internal Air<br>Replacement | Continuously  |
| Material                                | Polyester Fabric coated TPU   | Seat                        | Adjustable back sofa  |
| Air booster&<br>Oxygen concentrator     | 2 in 1 machine, Air flow :130L/min;<br>Oxygen flow: 10L; Oxygen Concentration≥90% | Lighting                    | Eye-protecting LED light source, can be remote controlled<br>brightness and color temperature can be adjusted |
| AC                                      | Water cooled Air Conditioner  | Time of single<br>therapy   | 60-90 Minutes   |
| Sound insulation                        | Good privacy effect   | Music system                | Surround sound music  |
| Fragrance System                        | Edible natural plant fragrance  | Operation study             | Operation training is required<br>before use for keeping Safety   |
| Humidification system                   | Negative oxygen anion ionization  | Safety warnings             | Fire and sharp objects<br>are prohibited  |
| Operation Inside                        | Operation panel   | Maintenance                 | Refer to the user manual  |
| Pressure Range                          | 1.2ATA-1.5ATA   | Time of<br>warranty         | 2 years or 2000 hours   |
| Pressure<br>Regulation                  | Manual mechanical regulating valve  | Lifetime                    | 5 years or 5000 hours   |
| Pressurize<br>Medium                    | Air   | Standard                    | QB/T8049-2024   |
| Chamber<br>Support                      | Inflatable Frame  | Contraindication            | Refer to the user manual  |
| Usage Type                              | Sitting   | Installation conditions     | When installed on the upper floor,<br>an elevator is required   |
| Operator                                | Need one operator help to open<br>and close the chamber                           | Usage area<br>requirements  | Well-ventilated   |

## **HYPERBARIC CHAMBER SW-140**



- ROHS-certified materials;
- High-efficiency oil-free compressor;
- Advanced molecular sieve oxygen generator;
- Triple-pressure protection system;
- Continuous airflow circulation ensures fresh cabin air throughout the journey;
- Barrier-free entry design compatible with compact elevators and doors;
- Lightweight structure requiring no floor reinforcement;
- Wheelchair-accessible ramp-free design;
- Music system for immersive surround sound experience;
- Food-grade negative ion fragrance with refined molecular mist:
- Laboratory-grade water conditioning system.

| Hyperbaric Chamber SW-140 Specification |   |                             |   |
|---|---|-----------------------------|---|
| Item                                    | Description   | Item                        | Description   |
| Size                                    | L140×W100×H160cm  | Mode of Breath oxygen       | Mask  |
| Floor Space<br>Weight                   | <6m² <300 kg  | Internal Air<br>Replacement | Continuously  |
| Material                                | Polyester Fabric coated TPU   | Seat                        | Wheel chair   |
| Air booster&<br>Oxygen concentrator     | 2 in 1 machine, Air flow :130L/min;<br>Oxygen flow: 10L; Oxygen Concentration≥90% | Lighting                    | Eye-protecting LED light source, can be remote controlled<br>brightness and color temperature can be adjusted |
| AC                                      | Water cooled Air Conditioner  | Time of single<br>therapy   | 60-90 Minutes   |
| Fragrance System                        | Edible natural plant fragrance  | Operation study             | Operation training is required<br>before use for keeping Safety   |
| Music system                            | Surround sound music  | Safety warnings             | Fire and sharp objects<br>are prohibited  |
| Operation Inside                        | Operation panel   | Maintenance                 | Refer to the user manual  |
| Pressure Range                          | 1.1ATA-1.3ATA   | Time of<br>warranty         | 2 years or 2000 hours   |
| Pressure<br>Regulation                  | Manual mechanical regulating valve  | Lifetime                    | 5 years or 5000 hours   |
| Pressurize<br>Medium                    | Air   | Standard                    | QB/T8049 <b>-</b> 2024  |
| Chamber<br>Support                      | Metal Frame   | Contraindication            | Refer to the user manual  |
| Usage Type                              | Sitting   | Installation conditions     | When installed on the upper floor,<br>an elevator is required   |
| Operator                                | Need one operator help to open and close the chamber                              | Usage area<br>requirements  | Well-ventilated   |

## MILD HYPERBARIC CHAMBER M-240



- Global patented product;
- European Union ROHS material certification;
- High-efficiency oil-free air compressor;
- High-efficiency molecular sieve oxygen concentrator;
- Triple safety protection;
- Continuous airflow circulation ensures fresh air inside;
- Accessible through small elevators and all doorways;
- Lightweight, no heavy panels required;

- A gathering of three or five friends for relaxation;
- Small internal company meeting;
- It can also be quickly converted into a small bedroom in seconds;multiple functions;
- In-chamber music, enjoy a surround stereo private space;
- Small-molecule atomization, faint and elegant fragrance;
- Laboratory-grade water cooling system to adapt to all seasons;

| Mild Hyperbaric Chamber M-240 Specification |   |                             |  |
|---|---|-----------------------------|--|
| Item  | Description   | Item                        | Description  |
| Size  | D240×H180cm   | Mode of Breath oxygen       | Mask   |
| Floor Space<br>Weight                       | <10m <sup>2</sup> <500 kg   | Internal Air<br>Replacement | Continuously   |
| Material                                    | Polyester Fabric coated TPU   | Seat                        | Adjustable back sofa   |
| Air booster&<br>Oxygen concentrator         | 2 in 1 machine, Air flow :260L/min ;<br>Oxygen flow: 20L;Oxygen Concentration≥90% | Lighting                    | Eye-protecting LED light source, can be remote controlled,<br>brightness and color temperature can be adjusted |
| AC  | Water cooled Air Conditioner  | Time of single<br>therapy   | 60-90 Minutes  |
| Fragrance<br>System                         | Edible natural plant<br>fragrance   | Cabinet                     | Customized   |
| Music system                                | Surround sound music  | Operation study             | Operation training is required before use for keeping Safety   |
| Humidification<br>system                    | Negative oxygen anion ionization  | Safety warnings             | Fire and sharp objects<br>are prohibited   |
| Operation Inside                            | Operation panel   | Maintenance                 | Refer to the user manual   |
| Pressure Range                              | 1.2ATA-1.5ATA   | Time of<br>warranty         | 2 years or 2000 hours  |
| Pressure<br>Regulation                      | Manual mechanical regulating valve  | Lifetime                    | 5 years or 5000 hours  |
| Pressurize<br>Medium                        | Air   | Standard                    | QB/T8049-2024  |
| Chamber<br>Support                          | Metal Frame   | Contraindication            | Refer to the user manual   |
| Usage Type                                  | Sitting   | Installation conditions     | When installed on the upper floor,<br>an elevator is required  |
| Operator                                    | Need one operator help to open and close the chamber                              | Usage area<br>requirements  | Well-ventilated  |

## **HYPERBARIC CHAMBER L-820C**



- EU ROHS-certified materials;
- High-efficiency oil-free compressor;
- Advanced molecular sieve oxygen generator;
- Triple-pressure protection system;
- Pressure regulation (1.2/1.3/1.4/1.5ATA)
- Continuous airflow circulation ensures fresh chamber air throughout the therapy;
- Lightweight, super portable, easy installation;

| Нур                                 | Hyperbaric chamber L-820C Specification   |                             |   |  |
|-------------------------------------|---|-----------------------------|---|--|
| Item                                | Description   | Item                        | Description   |  |
| Size                                | D80XL200cm  | Mode of Breath oxygen       | Mask  |  |
| Floor Space<br>Weight               | <4m² <200 kg  | Internal Air<br>Replacement | Continuously  |  |
| Material                            | Polyester Fabric coated TPU   | Time of single<br>therapy   | 60-90 Minutes   |  |
| Air booster&<br>Oxygen concentrator | 2 in 1 machine, Air flow :130L/min;<br>Oxygen flow: 10L; Oxygen Concentration≥90% | Operation study             | Operation training is required<br>before use for keeping Safety |  |
| AC                                  | Dehumidifier&cooled air   | Safety warnings             | Fire and sharp objects<br>are prohibited                        |  |
| Pressure Range                      | 1.2ATA-1.5ATA   | Installation conditions     | When installed on the upper floor,<br>an elevator is required   |  |
| Pressure<br>Regulation              | Manual mechanical regulating valve  | Usage area<br>requirements  | Well-ventilated   |  |
| Pressurize<br>Medium                | Air   | Maintenance                 | Refer to the user manual  |  |
| Chamber<br>Support                  | Inflatable Frame  | Time of<br>warranty         | 2 years or 2000 hours   |  |
| Usage Type                          | Lying   | Lifetime                    | 5 years or 5000 hours   |  |
| Operator                            | Need one operator help to open and close the chamber                              | Contraindication            | Refer to the user manual  |  |

## Why choose us?

#### Technology

As a manufacturer of High-End Hyperbaric Chambers, Oxyspaces team have more than 100 types of different chambers design&making experience, can supply one stop solution for design, manufacture and test on soft chamber structure, cover, inside and outside frame, accessories, and oxygen concentrator.

#### Safety

Oxyspaces makes every chamber under the highest Safety Standard. Every chamber structure must pass blasting test under at least 1.5 times pressure. Every chamber must test for at least 24 hours under using pressure before delivered.

#### Customization

Quick answer during 24 hours;

Special designer for collecting your requirements and supply one stop solution for you during 7 days;

Even one set can be customized for your unique demand;

Your customized chamber will be sent by express to reduce your waiting time.

#### OEM

Your great brand need excellent product to match. Oxyspaces are committed to building the world's largest soft oxygen chamber production base, and provide high quality products for your great brand.

#### Service

We provide timely and comprehensive service to end users in different countries and regions through our global network of distributors. Including online technical guidance and offline face-to-face training, as well as rapid after-sales service.



Health always be the most worthwhile investment in the world.

www.oxyspaces.com